

















COSHH Assessment 87 Date: January 2022 Review: January 2023 Assessor: G Balint		Substance Unleaded Petrol						
		Data Sheet Location: Head office Asda Leyton Mills						
Supplier Various Petrol Station Locations Esso Petroleum Company Ltd. Ermyn Way Ermyn House KT22 8UX LEATHERHEAD, SURREY Great Britain Supplier General Contact: (UK) (+44) (0) 1372 222 000 SDS Internet Address: www.msds.exxonmobil.com E-Mail: sds.uk@exxonmobil.com		Emergency Contact: 24 Hour Emergency Telephone: (UK) (+44) (0) 1372 222 000 National Poison Control Centre: (UK) 111 / (IE) (+353)1 809 2166						
Activity or Work Process	Fuel	Location of work	Various/Asda Leyton Mills					
Indicate which form the substance takes	<input type="checkbox"/> Gas <input type="checkbox"/> Vapour <input type="checkbox"/> Mist <input type="checkbox"/> Fume <input type="checkbox"/> Dust <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid <input type="checkbox"/> Aerosol <input type="checkbox"/> Other							
Indicate route(s) of exposure the substance takes	<input checked="" type="checkbox"/> Skin <input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Eyes <input checked="" type="checkbox"/> Ingestion <input type="checkbox"/> Other							
Persons at risk:	Users <input checked="" type="checkbox"/>	Employees <input checked="" type="checkbox"/>	Others <input checked="" type="checkbox"/>					
CONTROL MEASURES: List below control measures eg extraction, ventilation, supervision, include additional controls for vulnerable persons where necessary								
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use. P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233: Keep container tightly closed. P240: Ground and bond container and receiving equipment. P241: Use explosion-proof electrical, ventilating and lighting equipment. P242: Use non-sparking tools. P243: Take action to prevent static discharges. P261: Avoid breathing mist / vapours. P264: Wash skin thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P308 + P313: IF exposed or concerned: Get medical advice/attention. P312: Call a POISON CENTER or doctor/physician if you feel unwell. P331: Do NOT induce vomiting. P332 + P313: If skin irritation occurs: Get medical advice/attention. P362 + P364: Take off contaminated clothing and wash it before reuse. P370 + P378: In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish. P391: Collect spillage. P403 + P235: Store in a well-ventilated place. Keep cool. P405: Store locked up. P501: Dispose of contents and container in accordance with local regulations								
HEALTH SURVEILLIANCE: Is health surveillance or monitoring required? (remember health surveillance may be required for vulnerable persons e.g. pregnant/young workers those with asthma, dermatitis etc.)			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No					
HAZARD SYMBOLS (Place a X in each of the boxes that identifies the Hazards associated with using this substance)								
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
								
Toxic/Very Toxic	Caution Irritant	Flammable	Oxidising	Health Hazards	Dangerous To Environment	Gas Under Pressure	Corrosive	Explosive

HEALTH HAZARDS

H224: Extremely flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H336: May cause drowsiness or dizziness. H340: May cause genetic defects. H350: May cause cancer. H361: Suspected of damaging the unborn child. H411: Toxic to aquatic life with long lasting effects

PERSONAL PROTECTIVE EQUIPMENT
(Place a X in each of the boxes for mandatory PPE/RPE)

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
						
Dust mask	Respirator	Visor	Eye Protection	Boots	Overalls	Gloves



Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.
Skin contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician as a surgical emergency. Even though initial symptoms from high pressure injection may be minimal or absent, early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury
Inhalation	Immediately remove from further exposure. Get immediate medical assistance. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. Give supplemental oxygen, if available. If breathing has stopped, assist ventilation with a mechanical device
Ingestion	Seek immediate medical attention. Do not induce vomiting.

FIRE MEASURES (Place a X in each of the boxes that can be used with this COSHH Substance)

THE PRODUCT is **EXTREMELY FLAMMABLE**.

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
				
CO2	Water FOG ONLY	Foam	Powder	Fire Blanket

DO NOT USE STRAIGHT STREAMS OF WATER

Storage

Ample fire water supply should be available. A fixed sprinkler/deluge system is recommended. The type of container used to store the material may affect static accumulation and dissipation. Consistent with regulatory control requirements, storage and handling equipment and systems should be capable of preventing soil and groundwater contamination by liquid spills and vapor emissions. Leak detection systems and programs are recommended. Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area. Outside or detached storage preferred. Keep away from incompatible materials. Storage containers should be earthed and bonded. Fixed storage containers, transfer containers and associated equipment should be earthed and bonded to prevent accumulation of static charge.

Environment

Large Spills: Dyke far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas

Land Spill: Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Prevent entry into waterways, sewer, basements or confined areas. A vapour-suppressing foam may be used to reduce vapour. Use clean non-sparking tools to collect absorbed material. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Large Spills: Water spray may reduce vapour, but may not prevent ignition in enclosed spaces. **Water Spill:** Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk. Do not confine in area of spill. Advise occupants and shipping in downwind areas of fire and explosion hazard and warn them to stay clear. Allow liquid to evaporate from the surface. Seek the advice of a specialist before using dispersants. Water spill and land spill recommendations are based on the most likely spill scenario for this material; however, geographic conditions, wind, temperature, (and in the case of a water spill) wave and current direction and speed may greatly influence the appropriate action to be taken. For this reason, local experts should be consulted. Note: Local regulations may prescribe or limit action to be taken. This product contains ether oxygenates and it is important to respond quickly to any spills or leaks. Even a small release, if not quickly cleaned up, can contaminate large volumes of surface or groundwater. Personnel handling, transferring or dispensing this product should be trained to respond immediately to any spills or leaks to prevent contamination of groundwater.

Transport: Hazardous

Disposal : This material is considered as hazardous waste pursuant to Directive 91/689/EEC on hazardous waste, and subject to the provisions of that Directive unless Article 1(5) of that Directive applies.

Empty Container Warning (where applicable): Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Empty drums should be completely drained and safely stored until appropriately reconditioned or disposed. Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations. DO NOT PRESSURISE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE AND CAUSE INJURY OR DEATH.